



Phenates (Alkyl Phenate Sulfides)

Table of Contents

Introduction.....1
 Description & Properties.....2
 Health Information.....2
 Environmental Information...3
 Regulatory Information.....3
 Exposure Potential.....4



Introduction

The metallic salts of alkyl phenol sulfides, commonly referred to as “phenates”, belong to the class of lubricating oil additives known as detergents. Unlike household detergents, these detergents are specifically designed to be soluble in oil, and insoluble in water.

Detergents are critical components of an engine’s lubricating oil, providing protection. Whether it is a lawn mower, car, or massive two story marine diesel engine the engines and machinery of life do not run by themselves. To perform their everyday functions as well as expected, all their moving parts must be powered and protected with fuels and lubricants enhanced by some of the most technologically advanced additives.

Detergents provide a means for dissolving otherwise insoluble metallic salts, like calcium or magnesium carbonate, in lubricating oil (see manufacturing description below). As such they function like an “antacid” for the engine, neutralizing corrosive combustion acids that would otherwise dissolve key metals parts and eventually lead to engine failure.

Detergents also prevent the build up of harmful deposits on the rings and in the grooves of the engine pistons. These deposits can cause the rings of the piston to stick, causing potentially catastrophic liner wear, which leads to loss of engine compression (power), poor emissions quality and fuel economy, and eventually engine failure. Phenates contain sulphur. Sulfur provides oxidation protection to the oil, preventing oil viscosity increase which can impede the oil’s ability to lubricate. Oronite’s family of Viscosity Index Improvers combines excellent viscometric effectiveness with the high oxidative stability engines need.

Detergents are critical components of an engine’s lubricating oil providing protection.

To perform their everyday functions as well as expected, engines and all their moving parts must be powered and protected with fuels and lubricants enhanced by some of the most technologically advanced additives.

Detergents help prevent the build up of harmful deposits on the rings and in the grooves of the engine pistons.



¹ This summary is based on information as of January 2009.

Description and Properties

The chemical structure of a phenate contains four critical parts (see diagram on right).

The first part is the long hydrocarbon tail that allows the phenate to dissolve in lubricating oil (and not water). This tail is typically a polymer of a low molecular weight hydrocarbon like propylene, usually 12 to 15 carbons long or longer.

The second critical part is what is called the linking group, which links the long hydrocarbon tail to the metallic salt or carbonate. For phenates the linking group is phenol from which the generic name phenate is derived. Typically the linking group and the hydrocarbon tail are reacted together, and then the product (called an alkylphenol) is reacted with sulfur and the metallic oxide and carbon dioxide (to make the carbonate) in the presence of a glycol catalyst.

The third part is the metallic carbonate itself, and the fourth part is the sulfur that links phenates together into a larger polymeric molecule (and further aids oil solubility).


At ambient temperature, phenates appear as a highly viscous, water insoluble, almost black liquid with no appreciable odor. Phenates are denser than water, so they would sink if poured into water. Upon heating, they may give off the faint odor reminiscent of burning tires, but this is generally not detected in the applications for which they are intended.

Tetrapropenyl phenol (TPP) and its calcium salt, the raw material that is used to make phenates, remain in varying residual quantities in the final product.



The chemical structure of a phenate contains four critical parts.

- 1) **Hydrocarbon tail**
- 2) **Linking group**
- 3) **Metallic carbonate**
- 4) **Sulfur**



Health Information

Studies of phenates by the dermal, oral, and inhalation routes of exposure indicate that these substances are relative low in acute toxicity by all three routes of exposure. Signs of systemic toxicity occur only at very high dose levels that are much greater than typical human exposure. Exposure via inhalation to the highest vapor concentration attainable did not cause any deaths or signs of systemic toxicity in laboratory animals.

Studies indicate that these substances are not irritating to the skin or to the eyes. Studies have not shown any evidence of skin sensitization.

Repeated-dose toxicity studies with phenates demonstrated that none of the tested substances showed any evidence of systemic toxicity.

Developmental rat toxicity studies conducted by oral gavage demonstrate that phenates do not cause developmental malformations.



Health Information (continued)

In some studies of rats, tetrapropenyl phenol (TPP) and its calcium salt caused a reduction in fertility, a reduction in litter size, and a reduction in the size of reproductive organs in male and female rats. Whether these effects were observed in studies depended upon on the concentration of residual TPP and its calcium salt in the material tested. Studies conducted with alkyl phenate sulfides diluted to the concentrations used by the consumers did not show any adverse effects on reproduction.

In vitro and *in vivo* studies demonstrate that these substances lack the potential to be genotoxic. Based on these studies, there is low concern that these substances are carcinogenic.

Environmental Information

At Oronite, we foster a culture grounded in operational excellence and are conscientiously committed to protecting people and the environment above all.

Phenates are not expected to be degraded by hydrolysis, photolysis, or oxidation, based on their chemistry, computational modeling and test data. They are expected to have limited biodegradation. Additional modeling predicts that these chemicals are likely to partition into soil and sediment. Based on both modeling and *in vitro* testing, phenates are unlikely to bioaccumulate in the environment.

Phenates are not toxic to aquatic organisms based on studies in fish, invertebrates, and algae. These substances are not expected to inhibit wastewater treatment plant microorganisms at typical discharge rates.

In the event a product containing phenates spills, stop the source of the release if you can do it without risk. The Material Safety Data Sheet provided with the product contains suggested spill response and clean-up procedures. As appropriate (or required) report spills to local authorities. In the USA the US Coast Guard can be reached at 1-800-424-8802.

Regulatory Information

Requirements may exist that govern the manufacture, importation, sale, transportation, use, and/or disposal of phenates or products containing them. These requirements may vary by jurisdiction. For more information, consult the relevant Material Safety Data Sheet (MSDS) or contact us.

Studies conducted with alkyl phenate sulfides diluted to the concentrations used by consumers did not show any adverse effects on reproduction.



Sources for additional Information

- Combined Alkyl Phenol Sulfide and Alkyl Phenate Sulfide Category SIDS Initial Assessment Report for SIAM 27 (draft).

- American Chemistry Council, Petroleum Additives Panel- HERTG Consortium (2008).

Exposure Potential

The low volatility and low water solubility of phenates limits the potential for exposure, and therefore risk, to people in the workplace and consumers. Indirect exposure to these chemicals via the environment is likely to be negligible. Also, exposure to these substances is low because they comprise only a fraction of the final lubricant oil product.

Manufacturing of phenates generally occurs in dedicated closed systems with proper engineering controls, thereby minimizing exposure. Solid waste is either incinerated or recycled and therefore there is no significant release to the environment. Waste water is treated before release to a sewer or other appropriate system. Workers in manufacturing plants, including those in sample analysis, blending, maintenance, and cleaning are well trained in their particular operations and wear appropriate personal protection equipment, e.g. safety glasses, chemical resistant gloves, etc.

Professional mechanics, service station attendants, and other skilled workers that are frequently involved with oil changes use personal protective equipment and hygiene practices that reduce exposure to lubricant oils. Consumers have potential for exposure to small amounts of these substances due to the possibility of skin contact with fresh lubricant oils that can occur during crankcase oil changes or periodic oil “top off”. There may also be infrequent, trivial inhalation exposure to aerosols/vapor if “top-off” is conducted before the engine has cooled. However, “do-it-yourself” consumer exposure is likely to be relatively infrequent. In summary, there is minimal potential for exposure to phenates to the consumer commercial settings.

Disclaimer

Although the information on this Internet Web site and document are presented in good faith and believed to be correct, Chevron Oronite makes no representations or warranties of any kind, either express or implied, regarding this information or the products to which this information refers, including as to their completeness, accuracy, merchantability, fitness for a particular purpose or otherwise.

Readers are advised to make their own determination as to the suitability of any products for their purposes prior to use. In no event will Chevron Oronite be responsible for damages of any nature whatsoever resulting from the use of or reliance upon any of this information or the product to which this information refers.

Chevron Oronite makes no commitment to update or correct any information that appears on the Internet or on the World-Wide Web server.

Phenates are important chemicals used to create products that are proven to increase engine life.

The low volatility and low water solubility of phenates limits the exposure, and therefore risk, to people in the workplace and consumers.

Responsible Care Contact Information

Chevron Oronite Company LLC
Global Responsible Care
Manager
10285 Hwy 23 South
Belle Chasse, LA 70037